

2182/11-0701  
B7

PATENT

IN THE UNITED STATES PATENT AND TRADEMARK OFFICE

I hereby certify that this correspondence is being deposited with the U.S. Postal Service as first class mail in an envelope addressed to Commissioner of Patents and Trademarks, Washington, D.C. 20231 on October 15, 2001.

Deborah M. Meredith  
Deborah M. Meredith

Applicant : Tracy C. Denk, et al.  
Application No. : 09/735,170  
Filed : December 11, 2000  
Title : APPARATUS AND METHOD FOR REDUCING  
PRECISION OF DATA  
Grp./Div. : 2182  
Examiner : Not Yet Assigned  
Docket No. : 37359/JFO/B600

RECEIVED  
OCT 24 2001  
Technology Center 2100

INFORMATION DISCLOSURE STATEMENT WITH FEE  
UNDER 37 CFR §§ 1.97(c) and 1.17(p)

Assistant Commissioner for Patents  
Washington, D.C. 20231

Post Office Box 7068  
Pasadena, CA 91109-7068  
October 12, 2001

Commissioner:

In compliance with the duty of disclosure under 37 CFR §§ 1.56, 1.97 and 1.98, and in accordance with the provisions in the Manual of Patent Examining Procedure §§ 609 and 707.05(b), enclosed is FORM PTO-1449 listing the references that are known to applicant. Copies of each of the listed references are enclosed.

It is respectfully requested that the listed references be considered in the examination of this application and identified on the list of references cited on the patent issuing for this application. Applicant also requests that an initialed copy of FORM PTO-1449 be entered in the application file and returned to applicant with the next communication from the Office in accordance with MPEP § 609.

Enclosed is the processing fee of \$180 as required by 37 CFR §1.17(p). The Commissioner is hereby authorized to charge any fees which may be required by this paper


Application No. 09/735,170

to Deposit Account No. 03-1728. Please show our docket number with any Deposit Account transaction. **A copy of this paper is enclosed.**

Respectfully submitted,

CHRISTIE, PARKER & HALE, LLP

By

  
\_\_\_\_\_  
John F. O'Rourke  
Reg. No. 38,985  
626/795-9900

JFO/dmm

Enclosures: Check \$180  
Copy of IDS  
PTO-1449, w/references

DMM IRV1048935.1.\*-10/12/01 11:08 AM